

| No.                   | Title   | Journal                             | Pubmed<br>取載 | Year | Vol. | Page      | First author   | Category         | 被引用数       |
|-----------------------|---|-------------------------------------|--------------|------|------|-----------|----------------|------------------|------------|
| 1                     | Chronic pericardial constriction induced severe ischemic hepatitis manifesting as hypoglycemic attack   | Circ J                              | ○            | 2009 | 73   | 183-186   | Nomura T       | Case             | 8          |
| 2                     | Fatal splenic laceration in a young woman caused by idiopathic isolated splenic vein thrombosis   | Inter Med                           | ○            | 2009 | 48   | 907-910   | Nomura T       | Case             | 5          |
| 3                     | Images in cardio-thoracic surgery. Left atrial myxoma with tumour vascularity: three-dimensional images with multi-slice computed tomography  | Eur J Cardiothorac Surg             | ○            | 2009 | 36   | 765       | Goto T         | Image            | 2          |
| 4                     | Subacutely progressed extensive aortic dissection complicated with catheter-induced dissection in left main coronary artery   | J Cardiol                           | ○            | 2009 | 54   | 128-133   | Nomura T       | Case             | 12         |
| 5                     | Pulmonary hemorrhage in a middle-aged woman as a complication of treatments for acute myocardial infarction   | J Cardiol Cases                     | ○            | 2010 | 1    | e37-e41   | Ishida R       | Case             | 4          |
| 6                     | Effective surgical treatment for controlling the acute heart failure induced by acutely progressed mitral regurgitation with nonbacterial thrombotic endocarditis   | J Cardiol Cases                     | ○            | 2010 | 2    | e59-e62   | Tei T          | Case             | 3          |
| 7                     | Clinical manifestations and effects of primary percutaneous coronary intervention for the patients with deolayed pre-hospital time in acute myocardial infarction   | J Cardiol                           | ○            | 2010 | 56   | 204-210   | Nomura T       | Original Article | 10         |
| 8                     | Antiarrhythmic agent cibenzoline attenuates latent obstruction in the left ventricular outflow tract of hypertrophic cardiomyopathy   | Int J Cardiol                       | ○            | 2011 | 148  | 359-361   | Nomura T       | Letter           | 2          |
| 9                     | Effects of cardiolologist experience on outcomes of patients with ST-elevated myocardial infarction treated with primary PCI in a local area in Japan   | Int Heart J                         | ○            | 2011 | 52   | 127-130   | Nomura T       | Original Article | 2          |
| 10                    | 高度腎機能低下を伴った高齢心不全患者に対してルバブタンが奏功した1例  | Fluid management Renaissance        | ×            | 2012 | 2    | 104-107   | Nomura T       | Case             | 0          |
| 11                    | Clinical characteristics of silent myocardial ischemia diagnosed with adenosine stress(99m)Tc-tetrofosmin myocardial scintigraphy in Japanese patients with acute cerebral infarction                           | Heart Vessels                       | ○            | 2013 | 28   | 27-33     | Nomura T       | Original Article | 9          |
| 12                    | Dilated cardiomyopathy-associated FHOD3 variant impairs the ability to introduce activation of transcription factor serum response factor   | Circ J                              | ○            | 2013 | 77   | 2990-2996 | Arimura T      | Original Article | 54         |
| 13                    | Corticosteroid therapy was effective in controlling refractory coronary vasospasms complicated by hypereosinophilia   | Inter Med                           | ○            | 2014 | 53   | 735-738   | Nomura T       | Case             | 4          |
| 14                    | Apical myocardial infarction with bizarre coronary images mimicking left ventricular apical ballooning syndrome: a case report  | J Med Case Rep                      | ○            | 2014 | 8    | 124       | Nomura T       | Case             | 1          |
| 15                    | Persistent left superior vena cava (PLSVC) with anomalous hepatic venous drainage   | Inter Med                           | ○            | 2015 | 54   | 681       | Nomura T       | Image            | 0          |
| 16                    | Successful percutaneous coronary intervention with GuideLiner catheter for subtotal occlusive lesion in the right coronary artery with anomalous origin from the left sinus of Valsalva: a case report          | J Med Case Rep                      | ○            | 2015 | 9    | 163       | Shirota A      | Case             | 8          |
| 17                    | Practical usefulness of dual lumen catheter-facilitated reverse wire technique for markedly angulated bifurcated lesions  | J Interv Cardiol                    | ○            | 2015 | 28   | 544-550   | Nomura T       | Case Series      | 7          |
| 18                    | A rare instructive complication of balloon catheter fracture during percutaneous coronary intervention  | Cardiovasc Interv Ther              | ○            | 2016 | 31   | 70-74     | Nomura T       | Case             | 6          |
| 19                    | Reverse bent wiring with Crusade catheter can be a useful technique for penetrating an abrupt-type entry of coronary occlusion at branching ostium  | Cardiovasc Interv Ther              | ○            | 2016 | 31   | 245-249   | Nomura T       | Case             | 7          |
| 20                    | Successful percutaneous coronary intervention for complex bifurcated lesions with combination of "Reverse wire technique" and "Reverse bent wiring with the Crusade catheter" novel wire manipulation technique | Catheter Cardiovasc Interv          | ○            | 2016 | 87   | 920-925   | Nomura T       | Case             | 11         |
| 21                    | A rare appearance of a large mural thrombus in left atrium detected two years after the Maze procedure  | J Cardiol Cases                     | ○            | 2016 | 13   | 52-55     | Taminishi S    | Case             | 1          |
| 22                    | Trans-collateral angioplasty in vascular access intervention therapy for subacute occluded vessel   | J Vasc Access                       | ○            | 2016 | 17   | e39-e41   | Higuchi Y      | Case             | 2          |
| 23                    | Idiopathic internal jugular vein thrombosis as embolic origin   | Inter Med                           | ○            | 2016 | 55   | 847-848   | Nomura T       | Image            | 2          |
| 24                    | Instructive percutaneous coronary intervention to avoid the risk of side branch occlusion at a lesion with a lotus root appearance: a case report   | BMC Cardiovasc Disord               | ○            | 2016 | 16   | 157       | Nomura T       | Case             | 5          |
| 25                    | Simple and effective reverse bent wiring technique for side branch access after crush stenting  | Minerva Cardioangiolog              | ○            | 2016 | 64   | 699-701   | Nomura T       | Letter           | 0          |
| 26                    | Intermittent coronary spasm opens arteries of collateral circulation  | Austin Cardio & Cardiovasc Case Rep | ×            | 2016 | 1    | 1013      | Sugimoto T     | Image            | 0          |
| 27                    | Successful endovascular treatment with GuideLiner catheter of chronic aortic occlusion with severe calcification  | Cardiovasc Interv Ther              | ○            | 2017 | 32   | 137-141   | Kubota H       | Case             | 4          |
| 28                    | Seesaw double GuideLiner catheter technique for a successful bail-out procedure from blow-out type coronary perforation   | Cardiovasc Interv Ther              | ○            | 2017 | 32   | 396-400   | Sugimoto T     | Case             | 1          |
| 29                    | Bizarre sequela with cardiac venous perforation after percutaneous coronary intervention  | JACC Cardiovasc Interv              | ○            | 2017 | 10   | e95-e96   | Nomura T       | Image            | 1          |
| 30                    | Guide catheter extension device is effective in renal angioplasty for severely calcified lesions  | Am J Case Rep                       | ○            | 2017 | 18   | 568-572   | Sugimoto T     | Case             | 2          |
| 31                    | Successful bailout stenting strategy against lethal coronary dissection involving left main bifurcation   | Clin Case Rep                       | ○            | 2017 | 5    | 894-898   | Kubota H       | Case             | 1          |
| 32                    | A rare pathological entity of right ventricular diverticulum  | Eur Heart J Cardiovasc Imaging      | ○            | 2017 | 18   | 1188      | Hirota Y       | Image            | 1          |
| 33                    | Hemoptysis is a critical sign of aortobronchial fistula   | Intern Med                          | ○            | 2017 | 56   | 2683-2684 | Ashida-Urata N | Image            | 12         |
| 34                    | Successful endovascular treatment for thrombotic in-stent iliac occlusion with in-house-devised Optimo-like embolic protection system   | Res Cardiovasc Med                  | ×            | 2017 | 6    | e41325    | Kubota H       | Case             | 0          |
| 35                    | A pitfall in selecting promising septal collateral channels in percutaneous coronary intervention with a retrograde approach  | Res Cardiovasc Med                  | ×            | 2017 | 6    | e39298    | Urata R        | Case             | 0          |
| 36                    | Tips of dual-lumen microcatheter-facilitated reverse wire technique in percutaneous coronary interventions for markedly angulated bifurcated lesions  | Cardiovasc Interv Ther              | ○            | 2018 | 33   | 146-153   | Nomura T       | Original Article | 14         |
| 37                    | A rare manifestation of severe critical limb ischemia caused by solitary aorto-iliac occlusive disease  | Oxf Med Case Reports                | ○            | 2018 | 4    | 124-127   | Miyawaki D     | Case             | 0          |
| 38                    | Emergence of ventricular septal rupture during primary coronary intervention for myocardial infarction manifested as unexpected coronary blood flow disturbance   | Am J Case Rep                       | ○            | 2018 | 19   | 1108-1112 | Nomura T       | Case             | 0          |
| 39                    | Successful limb salvage from critical limb ischemia with bilateral variant anatomy of infrapopliteal arteries   | Cardiovasc Interv Ther              | ○            | 2019 | 34   | 67-69     | Miyawaki D     | Image            | 1          |
| 40                    | Easily size-adjustable homemade snare effective for bailout of kinked guiding catheter  | Cardiovasc Interv Ther              | ○            | 2019 | 34   | 76-77     | Miyawaki D     | Image            | 0          |
| 41                    | A rare case of isolated idiopathic inferior mesenteric artery dissection  | Am J Case Rep                       | ○            | 2019 | 20   | 121-124   | Ueno D         | Case             | 2          |
| 42                    | Successful bailout procedure for acute popliteal artery occlusion associated with EXOSEAL vascular closure device : a case presentation   | J Med Case Rep                      | ○            | 2019 | 13   | 90        | Urata R        | Case             | 4          |
| 43                    | Different types of vascular response to stent implantation in lesion with calcified nodule  | Cardiovasc Interv Ther              | ○            | 2019 | 34   | 279-281   | Yoshioka K     | Image            | 1          |
| 44                    | Vulnerable neointimal hyperplasia in coronary artery with whole circumference showing intravascular echo attenuation  | Clin Case Rep                       | ○            | 2019 | 7    | 1094-1097 | Hirota Y       | Case             | 1          |
| 45                    | Fatal right ventricular free wall rupture during percutaneous coronary intervention for inferior acute myocardial infarction  | Am J Case Rep                       | ○            | 2019 | 20   | 1155-1158 | Ueno D         | Case             | 9          |
| 46                    | Successful limb salvage by endovascular treatment for critical limb ischemia subsequent to acute limb ischemia  | Oxf Med Case Reports                | ○            | 2019 | 10   | 439-442   | Nomura T       | Case             | 2          |
| 47                    | Pedal artery angioplasty for dorsal pedis artery puncture preceding endovascular treatment for occluded anterior tibial artery  | Cardiovasc Interv Ther              | ○            | 2020 | 35   | 96-97     | Sakaue Y       | Image            | 0          |
| 48                    | Vanishing stenosis in renal artery with fibromuscular dysplasia   | Cardiovasc Interv Ther              | ○            | 2020 | 35   | 411-412   | Kubota H       | Image            | 0          |
| 49                    | A novel guidewire pull-through technique in endovascular treatment for severely calcified infrapopliteal occlusion  | Am J Case Rep                       | ○            | 2020 | 21   | e924057   | Ueno D         | Case             | 0          |
| 50                    | A noteworthy clue for diagnosing non-ST-elevation myocardial infarction by computed tomography without ECG synchronization: a case report   | BMC Cardiovasc Disord               | ○            | 2020 | 20   | 244       | Nomura T       | Case             | 1          |
| 51                    | The possible involvement of interleukin-6 in congestive heart failure in a menopausal woman with uterine fibromatosis   | Clin Exp Obstet Gynecol             | ×            | 2020 | 47   | 590-595   | Ohta M         | Case             | 0          |
| 52                    | Endovascular treatment for vascular access venous hypertension with complicated venous drainage routes in a hemodialysis patient: a case report   | Am J Case Rep                       | ○            | 2021 | 22   | e927625   | Hori Y         | Case             | 1          |
| 53                    | Angiographic visualization of high-flow arteriovenous fistula-induced subclavian steal syndrome   | Cardiovasc Interv Ther              | ○            | 2021 | 36   | 544-546   | Miyawaki D     | Image            | 1          |
| 54                    | Inflation pressure in side branch during modified jailed balloon technique does not affect side branch outcomes   | J Interv Cardiol                    | ○            | 2021 | 2021 | 8839897   | Nomura T       | Original Article | 2          |
| 55                    | Five recurrent episodes of Takotsubo syndrome provoked by various triggers over a period of seven years: a case report  | Eur Heart J Case Rep                | ○            | 2021 | 5    | ytab431   | Nomura T       | Case             | 2          |
| 56                    | In-stent protruding bump with abnormal IVUS images causing acute coronary syndrome in a hemodialysis patient  | Cardiovasc Interv Ther              | ○            | 2022 | 37   | 213-214   | Sakaue Y       | Image            | 0          |
| 57                    | Myocardial infarction due to immunoglobulin G4-related coronary artery aneurysm   | Cardiovasc Interv Ther              | ○            | 2022 | 37   | 405-406   | Ono K          | Image            | 2          |
| 58                    | Enlarged false lumen following spontaneous external iliac artery dissection-induced chronic limb threatening ischemia   | Cardiovasc Interv Ther              | ○            | 2022 | 37   | 583-584   | Sakaue Y       | Image            | 1          |
| 59                    | Precious one straight line via high take-off posterior tibial artery  | EJVES Vascular Forum                | ○            | 2022 | 55   | 60        | Ueno D         | Image            | 0          |
| 60                    | Percutaneous debulking strategy for severe nodular calcification in common femoral artery   | CVIR Endovasc                       | ○            | 2022 | 5    | 25        | Nomura T       | Case             | 0          |
| 61                    | Practical use of dual-lumen catheter-facilitated reverse wire technique for nonhighly angulated side branch   | Res Cardiovasc Med                  | ×            | 2022 | 11   | 107-110   | Ota I          | Case             | 0          |
| 62                    | Coronary artery embolism as a silent killer due to asymptomatic paroxysmal atrial fibrillation  | Cardiol J                           | ○            | 2022 | 29   | 1045-1046 | Nomura T       | Image            | 0          |
| 63                    | Early experience with coronary debulking devices in a newcomer facility after introducing revised facility criteria in Japan  | Cardiovasc Interv Ther              | ○            | 2023 | 38   | 104-112   | Nomura T       | Original Article | 4          |
| 64                    | Aorticaval fistula noticed due to general malaise   | Inter Med                           | ○            | 2023 | 62   | 1375-1376 | Tasaka S       | Image            | 1          |
| 65                    | A case of upper extremity edema associated with axillary vein compression caused by teres major muscle  | Cardiovasc Interv Ther              | ○            | 2023 | 38   | 262-263   | Wada N         | Image            | 0          |
| 66                    | Inframalleolar thrice distal puncture in a single endovascular treatment session for successful revascularization   | CVIR Endovasc                       | ○            | 2023 | 6    | 20        | Ota I          | Image            | 0          |
| 67                    | Tako-tsubo syndrome following pulmonary vein isolation for atrial fibrillation in a patient with primary aldosteronism  | Int Heart J                         | ○            | 2023 | 64   | 496-501   | Shoji K        | Case / Review    | 0          |
| 68                    | Eccentric plaque in aberrant right subclavian artery causing pseudocoarctation-like morphology  | Cardiovasc Interv Ther              | ○            | 2023 | 38   | 438-439   | Nomura T       | Image            | 0          |
| 69                    | Emphysematous changes as red flag signs preceding rapidly progressive infectious aortic disease: two case reports   | BMC Cardiovasc Disord               | ○            | 2023 | 23   | 577       | Higuchi Y      | Case             | 0          |
| 70                    | Percutaneous closure based on physiological assessment of an arteriovenous fistula in a patient with chronic limb threatening ischaemia   | EJVES Vascular Forum                | ○            | 2024 | 61   | 3-7       | Shoji K        | Case             | 0          |
| <b>Total Citation</b> |   |                                     |              |      |      |           |                |                  | <b>236</b> |